Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



WHOLESALE TRADE LIST

depart engine of the training to

かりいしのでい.

62.81




FALL 1933 SPRING 1934



Howell Nurseries

KNOXVILLE, TENNESSEE and SWEETWATER, TENNESSEE



WHOLESALE TRADE LIST

FALL 1933 SPRING 1934

HOWELL NURSERIES

KNOXVILLE, TENN.

The following list constitutes our surplus. In offering it we do so with confidence that we can please, both in quality of stock and in digging and packing.

TERMS: Our terms are net cash or satisfactory reference before shipment. If satisfactory references are given the terms are thirty days.

PRICES: Prices apply to wholesale quantities and are based on 100 rates.

GUARANTEE: We make no guarantee of any kind whatever, either expressed or implied. All claims, to receive our attention, must be made when the goods are received.

SHIPPING AND BOXING: Boxing charged at cost unless cash accompanies order, in which case boxing is free. Explicit shipping instructions should be given in every case.

We wish to thank our patrons for the liberal share of their business given us in the past.

HOWELL NURSERIES

Knoxville, Tennessee and Sweetwater, Tennessee

Wholesale Trade List

Abelia grandiflora B & B	3-4'	.40
" "	4-5'	
" Bare root	3-4'	
Acer dasycarpum—Silver Maple	8-10	.50
46 66 66 66	10-12'	.75
44 44 44 44	12-14'	1.00
" pyramidale	8-10'	1.50
" platanoides—Norway Maple	5-6'	
· · · · · · · · · · · · · · · · · · ·	6-8'	.75
	8-10	
	10-12'	1.25
schwedieri	6-8'	1.25
" saccharam—Sugar Maple	6-8'	.75
66 66 66	8-10' 10-12'	$1.00 \\ 1.50$
Aesculus pavia—Dwarf Buckeye	10-12	.25
Albizzia julibrissin—Mimosa	3-4	.35
" " "	4-5'	.50
	5-6'	.75
Amelanchier canadensis	3-4'	.50
"	4-5'	.60
Amorpha fruiticosa	5-6'	.30
Aralia spinosa	2-3	.25
Aronia arbutifolia	2-3'	.20
Azalea hinodegiri B & B	8-12"	.50
66 i 66 .	12-15"	.75
	15-18"	1.00
44 44 44	18-21"	1.25
All of our Azaleas are extra nice		
satisfaction. We have an assortme		Azaleas
in other varieties at the same prices		2 ~
Berberis atropurpurea	12-18"	
	2-3'	.35
Add 15c if B & B Berberis wilsonae B & B	2-3'	.75
Betula alba—White birch	6-8'	
" " " "	3-10'	
Buddleia alternifolia	2-3'	
davidi magnifica	3-4'	
" lindleyana	3-4'	
Buxus sempervirens B & B	12-18'	.75
" "	18-24"	1.00
Callicarpa americana	2-3'	.20
"	3-4'	.25
" purpurea bushy	2-3'	.20
Calycanthus floridus	2-3'	.20
" praecox (Meratia)	18-24"	.25

Castane					
	a pumi	ila—Ch	inquapin	18-24	.20
44	mollis	ssima—	Blight-proc	of	
			Chestnut	2-3	3' .50
Cedrus	deodara			2-3	
"	66	"	_	3	
"	"	"		4-	
66	66	44		. 5-4	
"	"	"		6-8	_
"	libani	"	•	$\frac{0}{2}$	
66	mpain "	66			
"	66	66		3-	
			: D 0 D	4-1	
epnaro	otaxus i	ortune:	i B & B	2-	
			0	3-	
6		"	66	4-	
"			fastigiata		
"		66		" 18-24	1.50
ercido	phyllum	ı japon	icum	3	4' .60
	"	"	•	, 4-	5' .75
Cercis	canader	ısis		3	4' .30
"	"			4-	5' .35
66	46			5-	6' .4(
"	46			6-	8' .50
"	chinen	sis		6-8	3' .50
hionar	thus v	irginica	а В & В	2-3	
"			"	3-4	
				•	• • •
llemati	g nanic	шата		1 v	r 15
	s panic		mum	1 y.	
Clerode	endron t	trichoto	omum	18-24	.20
Clerode Clethra	endron t alnifol	trichoto		18-24 18-24	.2(.25
Clerode Clethra	endron t	trichoto	omum B & B	18-24 18-24 3-4	.26 .25 .60
Clerode Clethra Cornus "	endron t alnifol florida "	trichoto	в & в	18-24 18-24 3-4	.20 .21 .21 .60 .60 .5' 1.00
Clerode Clethra Cornus "	endron t alnifol florida "	trichoto	В & В "	18-24 18-24 3-4 4- 5-	.20 .21 .22 .32 .32 .42 .60 .53 .1.2 .54 .25
Clerode Clethra Cornus " "	endron t alnifol florida " "	trichoto ia	B & B	18-24 18-24 3-4 4- 5- 6-	.26 4' .25 4' .60 5' 1.00 6' 1.25 8' 1.50
Clerode Clethra Cornus " " " " "	endron to alnifol florida " " "	trichoto ia plena	B & B	18-24 18-24 3-4 4- 5- 6- 2-3	.26 .27 .28 .47 .60 .57 .1.00 .67 .1.28 .87 .75
Clerode Clethra Cornus " " " " "	endron to alnifol florida " " " " "	trichoto ia plena "	B & B	18-24 18-24 3-4 4- 5- 6- 2-3	.26 .27 .28 .4' .60 .5' .1.00 .8' .75 .75 .4' .00
Clerode Clethra Cornus " " " " " "	endron to alnifol florida " " " " " " " "	trichoto ia plena "	B & B	18-24 18-24 3-4 4- 5- 6- 2-3 4-4	.20 .21 .22 .32 .33 .43 .44 .44 .45 .45 .45 .47 .47 .47 .48 .48 .48 .48 .48 .48 .48 .48
Clerode Clethra Cornus " " " " " "	endron to alnifol florida " " " " " " "	trichoto ia plena " rubra	B & B	18-24 18-24 3-4 4- 5- 6- 2-3 4-3 2-3	.26 .27 .28 .4' .60 .5' .1.00 .6' .75 .75 .4' .1.50 .5' .50 .50
Clerode Clethra Cornus " " " " " " " "	endron to alnifol florida " " " " " " " " "	trichoto ia plena " rubra "	B & B	18-24 18-24 3-4 4- 5- 6- 2-3 3-4 4- 2-3 3-4	.26 .27 .28 .47 .60 .57 .1.00 .67 .75 .47 .1.00 .57 .75 .47 .75 .75 .75 .75
Clerode Clethra Cornus " " " " " "	endron to alnifol florida " " " " " " "	trichoto ia plena " rubra "	B & B	18-24 18-24 3-4 4- 5- 6- 2-3 3-4 4-4 4-4	2
Clerode Clethra Cornus " " " " " " " "	endron to alnifol florida " " " " " " " " "	trichoto ia plena " rubra "	B & B	18-24 18-24 3-4 4- 5- 6- 2-3 3-4 4-4 4-4	2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2
Clerode Clethra Cornus " " " " " " " " " " " "	endron to alnifol florida " " " " " " " " " " " " " " "	trichoto ia plena " rubra "	B & B	18-24 18-24 3-4 4- 5- 6- 2-3 3-4 4-4 4-4	226 460 5. 1.00 6. 1.25 8. 1.50 6. 1.50 675 4. 1.00 675 6. 1.50 6. 1.50
Clerode Clethra Cornus " " " " " " " " " " " "	endron to alnifol florida " " " " " " " " " " " " " " " " " "	plena " rubra " "	B & B	18-24 18-24 3-4 4- 5- 6- 2-3 3-4 4- 5-6 6-7	226 460 5. 1.00 6. 1.28 8. 1.50 875 4. 1.00 5. 1.50 875 6. 1.50 6. 1.50
Clerode Clethra Cornus " " " " " " " " " " " Ask	endron to alnifol florida " " " " " " " " " " " " " " " " " "	trichoto ia plena " rubra " " iotation	B & B "" "" "" "" "" "" "" "" "" ""	18-24 18-24 3-4 4- 5- 6- 2-3 3-4 4- 5-6 6-7	2. 26 460 5. 1.00 6. 1.25 8. 1.50 875 4. 1.00 5. 1.50 675 7. 2.00
Clerode Clethra Cornus " " " " " " " " Ask Cornus	endron to alnifol florida " " " " " " " " " " " " " " " " " "	trichoto ia plena " rubra " " iotation B & B	B & B "" "" "" "" "" "" "" "" "" ""	18-24 18-24 3-4 4- 5- 6- 2-3 3-4 4- 5- 6- 7- 8- 8- 6- 7- 8- 8- 8- 8- 8- 8- 8- 8- 8- 8	2. 26 2. 27 3. 28 460 5. 1.00 6. 1.28 8. 1.50 875 4. 1.00 5. 1.50 675 6. 1.50 7. 2.00 775
Clerode Clethra Cornus " " " " " " " " Ask Cornus	endron to alnifol florida " " " " " " " " " " " " " " " " " "	plena " rubra " " totation B & B varicat	B & B	18-24 18-24 3-4 4- 5- 6- 2-3 3-4 4- 5-6 6-7 8r sizes. 18-24	2. 26 460 5. 1.00 6. 1.28 8. 1.50 875 4. 1.00 5. 1.50 675 6. 1.50 7. 2.00 775 850
Clerode Clethra Cornus " " " " " " " " " " " " Cornus Cotonea	endron to alnifol florida " " " " " " " " " " " " " " " " " " "	plena " rubra " notation B & B varicat anchett	B & B " " " " " " as on large	18-24 18-24 3-4 4- 5- 6- 2-3 3-4 4- 5-6 6-7 8r sizes. 18-24 2-3	2' .26 4' .60 5' 1.00 6' 1.28 8' 1.50 8' 1.50 6' 1.50 6' 1.50 6' 1.50 6' 1.50 6' 1.50 6' 1.50 6' 1.50 6' 1.50 6' 1.50 6' 1.50 6' 1.50 6' 1.50
Clerode Clethra Cornus " " " " " " " " " " " " Cornus Cotonea "	endron to alnifol florida " " " " " " " " " " " " " " " " " " "	plena " rubra " notation B & B varicat anchett	B & B " " " " " " " " a B & B i B & B	18-24 18-24 3-4 4- 5- 6- 2-3 3-4 4- 5-6 6-7 2-3 3-4 4-2 2-3 2-3 2-3	2'' 2'' 3'' 4' -60 5' 1.00 6' 1.28 8' 1.50 8' 1.50 8' 1.50 6' 1.50 7' 2.00 8'' 3' 50 8' 50 8' 50 8' 50 8' 50 8' 50
Clerode Clethra Cornus " " " " " " " " Ask Cornus Cotonea " " "	endron to alnifol florida " " " " " " " " " " " " " " " " " "	plena " rubra " " totation B & B varicat anchetti rizonta	B & B " " " " " " " " " " " " " " " " " " "	18-24 18-24 3-4 4-5-6-2-3 3-4 4-5 5-6-7 5-6 6-7 2-3 18-24 2-3 12-18	2' .26 4' .60 5' 1.00 6' 1.28 8' 1.50 8' 1.50 3' .75 4' 1.00 5' 1.50 6' 1.50 6' 1.50 6' .50 6' .50 6' .60 6' .60
Clerode Clethra Cornus " " " " " " " " " " Ask Cornus Cotonea " " "	endron to alnifol florida " " " " " " " " " " " " " " " " " " "	plena " rubra " " totation B & B varicat anchetti rizonta	B & B " " " " " " " " " " " " " " " " " " "	18-24 18-24 3-4 4- 5- 6- 2-3 3-4 4- 5-6 6-7 2-3 18-24 2-3 12-18 2-3 2-3	2' .26 4' .60 5' 1.00 6' 1.28 8' 1.50 8' 1.50 6' 1.50 6' 1.50 6' 1.50 6' 1.50 6' 1.50 6' 1.50 6' 1.50 6' 1.50 6' 1.50 6' 1.50 6' 1.50 6' 1.50 6' 1.50 6' 1.50 6' 1.50 6' 1.50 6' 1.50
Clerode Clethra Cornus " " " " " " " " " " Cornus Cotonea " " " " " " " " " " " " " " " " " " "	endron to alnifol florida " " " " " " " " " " " " " " " " " "	plena " rubra " notation B & B varicat anchetti rizonta " lanceol	B & B " " " " " " " " " " " " " " " " " " "	18-24 18-24 3-4 4- 5- 6- 2-3 3-4 4- 5- 6- 2-3 12-18 2-3 4-5 4-5	2' .26 4' .60 5' 1.00 6' 1.28 8' 1.50 8' 1.50 6' 1.50 6' 1.50 6' 1.50 6' 1.50 6' 1.50 6' 1.50 6' 1.50 6' 2.00 6' .60 6' 2.00
Clerode Clethra Cornus " " " " " " " " Cornus Cotonea " " " " Cunning	endron to alnifol florida " " " " " " " " " " " " " " " " " "	plena " rubra " notation B & B varicat anchetti rizonta " lanceol "	B & B " " " " " " " " " " " " " " " " " " "	18-24 18-24 3-4 4- 5- 6- 2-3 3-4 4- 5-6 6-7 2-3 18-24 2-3 12-18 2-3 2-3	2' .26 4' .60 5' 1.00 6' 1.28 8' 1.50 8' 1.50 8' .75 4' 1.00 6' 1.50 8' .75 8' .50 8' .75 8' .50 8' .50 8' .50 8' .50 8' .50 8' .50 8' .50 8' .50

Cupressus lawsoniana ribunei	2-3'	1.00
Cydonia japonica	18-24"	.15
	2-3'	.20
Deutzia gracilis rosea	18-24''	.15
" "	2-3'	.20
" lemoinei	2-3'	.20
Eleagnus reflexa B & B	4-5'	.75
" broad leaf B & B	3-4'	.75
	4-5'	1.00
" " round " "	3-4'	1.00
Euonymus alatus	3-4'	.50
" americanus	2-3'	.25
"	3-4'	.30
" radicans	4 yr.	.25
" staked B & B	4 yr.	.50
" sieboldi patens B & B	18-24"	.40
" " В & В	2-3'	.50
Exochorda grandiflora	2-3'	.20
Forsythia intermedia	4-5'	.25
" spectabilis	18-24"	.15
"	2-3'	.20
"	3-4'	.25
" suspensa	2-3'	.15
66	4-5'	.25
" viridissima	4-5'	.20
Fraxinus americana	3-4'	.25
66	4-5'	.35
" ornus	3-4'	.35
66 66	4-5'	.50
66 66	5-6'	.60
Halesia tetraptera	2-3'	.25
a a	3-4'	.30
Hamamelis virginica	2-3'	.20
44	3-4'	.25
, 44	4-5'	.30
44	5-6'	.50
Hesperaloe parvifolia—Red Yucca	2 yr.	.25
"	4 yr.	.35
Hydrangea arborescens grandiflora	2-3'	.20
' paniculata "	2-3'	.20
Hypericum calycinum	2 yr.	.20
" moserianum	2 yr.	.15
" patulum henryi	2 yr.	.15
Programme Trossa 2.1	- J · ·	•0

-			
Ilex	crenata B & B	12-18"	.75
"	"	18-24"	1.00
"		$2-2\frac{1}{2}$ '	1.50
"		21/2-3'	1.75
"	"	3-4'	2.25
"	cornuta "	12-18"	1.00
6		18-24"	1.50
66	decidua	3-4'	.35
"	glabra B & B	2-3'	1.00
"	opaca "	18-24"	.75
66	"	2-3'	1.00
66	" " grafted	2-3'	1.50
"		3-4'	2.00
"	verticillata	2-3'	.35
"	vomitoria B & B	3-4'	1.50
Indi	gofera dousa	18-24"	.20
	ninum nudiflorum	2-3'	.15
	pers chi. albo-variegata B & B		1.00
	a a a a a	3-4'	1.25
	" densa glauca B & B		.50
	" " " " "	2-3'	.60
		3-4'	.75
,	" japonica B & B	18-24"	.75
	japonica B & B	2-3'	1.25
	" avlvostvia D &		.75
	" sylvestris B &		1.00
		3-4 '* 2-3'	
	" mascula B & B	3-4	1.00
		3-4 12-18''	1.25
	f frame of the second of the s		.50
	a a a a a a a a a a a a a a a a a a a	18-24"	.60
		2-3'	.75
		3-4'	1.00
		4-5'	1.50
	" procumbens B & B	12-18"	1.00
		18-24"	1.25
Juni	perus com. ashfordi B & B	2-3'	.50
		3-4'	.75
,		4-5'	1.00
	" depressa aurea B&B		.75
3		2-3'	.85
		3-4'	1.00
	" nana B & B		1.00
		3-4'	1.25
	" " plumosa B&B		.75
		2-3'	1.00
	" hibernic B & B	2-3'	.50
,	· · · · · · · · · · · · · · · · · · ·	3-4'	.50
		4-5'	.75
•		5-6'	1.00
,	• - 3		

-		
Juniperus	com. oblonga pendula B & B 2-	3' .50
"	" " 3-	4' .75
4.6	" " 5-	6' 1.00
6 6	" suecica B & B 2-	3' .75
4.6	kosteriana B & B	3' 1.00
"	naeboriensis B & B 4-	5' 1.25
4.6	" " 5-	6' 1.50
4.6	sabina B & B	4" .50
46	2-	3' .60
6.6	" horizontalis B & B 2-	3' .60
46	" " douglasi B&B 2-	3' 1.00
Kolkwitzi	a amabilis 2-	3' .30
"	" 3-	4' .40
"	" 4-	5' .60
Lagerstro	emia indica Wm. Toovey 2-	3' . 3 0
44	" " 3-	4' .40
"	· · · · · 4-	5' .60
Laurocera	asus officinalis B & B 2-	3' .75
"	" В&В 3-	4' 1.00
Lespedeza	a pendulifolia 2 y	
		6' 3.00
"		7' 3.50
Ligustrun	n lucidum B & B	
		3' .20
44	" B & B	
46		6' .50
44		5' .35
	lron tulipifera 10-1	
	·	·5' .20
"		6' .50
44	heckrotti 18-2	
44		$\cdot 3$ ' .25
46		4' .25
	nitida B & B	
		$\cdot 4$ ' .25
		$\cdot 3'$.20
46	" 3-	_
44		$\cdot 3$.25
		•
magnona "		5' .50
"	0	.4' .75 .5' 1.00
	4-	$\frac{1.00}{3}$.60
46	6- · · · · · · · · · · · · · · · · · · ·	3 .00 4' .75
"	3-	5' 1.00
"		6' 2.00
••	10.0	_
4.4	purpurea " 18-24	4" .75
" Mognalia	numpunas D 0 D	92 1 1 1 1
Magnolia	y are part of the state of the	3' 1.00
	" " 3-	

Magnolia soulangeana B & B	2-3'	2.06
66 66 66	3-4'	2.50
· · · · · · · · · · · · · · · · · · ·	4-5'	3.00
" stellata	18-24"	2.00
"	2-3'	3.00
Write for prices on specimen p	plants.	
Magnolia tripetala	4-5'	.50
66 66	5-6'	.78
"	6-8'	1.00
"	8-10'	1.50
Mahonia aquifolium B & B	12-18'	.40
	18-24"	.50
" "	2-3'	.78
" fascicularis "	2-3'	1.23
Myrica cerifera	2-3'	.60
Nandina domestica B & B	18-24"	.40
" "	24-30"	.50
" "	30-36"	.60
" "	36-42"	.70
"	4-5'	1.00
Osmanthus apuifolium B & B	12-18"	1.28
Ostrya virginica	5-6'	.60
Oxydendron arboreum B & B	2-3'	1.28
<i>"</i>	3-4'	2.00
Peach double flowering pink	4-5'	.35
	6-8"	.50
" red	3-4'	.3(
	4-5'	.35
" " white	3-4'	.3(
Philadelphus coquette	2-3'	.20
"	3-4'	.25
" coronarius	2-3'	.15
" Norma	2-3'	.20
" virginal	2-3'	.25
"	3-4'	.35
Picea excelsa B & B	2-3'	.50
66 66	3-4'	.75
u u	4-5	1.00
" pungens "	2-3'	1.25
" about 12% blue B&B	3 18 -24 "	1.25
	2-3"	1.75
Pinus montana mughus "	12-18"	.60
	18-24"	.75
" strobus "	2-3'	.75
· · · · · · · · · · · · · · · · · · ·	3-4'	1.00
	4-5'	1.25
"	1 0	_
" " " " " " " " " " " " " " " " " " "	5-6'	1.50
"	5-6'	1.75
" " " "	5-6' 6-7'	1.50 1.75 2.00 .75

Platanus	occiden	talis			8-10'	1.00
"	6.6	!		' 1	2-14'	1.50
Prunus t	omentos	\mathbf{a}			2-3'	.35
Pseudots	uga doug	glasi B	& B	1	8-24"	.60
4.6	"	"			2-3'	.75
"	"	"			3-4'	1.25
"	"	"			4-5'	1.75
Pyracant	ha cocci	nea lalar	ndi B &	B 1	8-24"	.60
Retinospo	ora erico	ides B &	В		2-3'	.50
"	filifera	а В & В		k.	2-3'	.75
"	"	B & B			3-4'	1.00
"	"	B & B			4-5'	2.00
66	66	В & В			5-6'	2.50
"	"	В & В			6-8'	3.00
"	obtusa	aurea o	eripsi E	&B 1	8-24"	1.00
66	"	"	"	:	2-3'	1.50
"	66		66 60	í	3-4'	2.50
" ,	"	nana	•	14	2-3'	2.00
"	"	"	"	;	3-4'	3.00
66	pisifer	a	44		2-3'	.75
,	"		"		6-7'	2.00
	44	aurea	,		6-7'	2.00
"	"	seedl			5-6'	1.00
"	44	argen	_	1	8-24"	.75
"	"	"	"		2-3'	1.00
46	"	plumosa	a. "		3-4'	1.00
	"		"		4-5'	1.50
66	"	"	"		5-6'	2.00
"	46	• 6	"		6-8'	2.50
"	"	"	aurea	в&в	2-3'	.75
66	"	"	"	"	3-4'	1.00
"	"	"	"	"	4-5'	1.25
66	"	"	"	"	5-6'	2.00
"	Sanarr	osa veit	chi B &	в	2-3'	.75
"	"	"	"		3-4'	1.25
"	"	"	"		4-5'	1.75
"	"	"	"		5-6'	2.00
"	viridis	sima B	& B	1	8-24"	.50
"	VIII	6 SIIII D	"		2-3'	.75
Rhodotyp	og kerri	nides			2-3'	.20
Rhus aro		oracs	1		2-3'	.20
"	"				3-4'	:25
" coto	noides	Americai	n Smoke	etree	2-3'	.30
"	"	americai "	" Smore		3-4'	.40
	nus cagg	ioria			2-3'	.30
		ELIA			2-3'	.20
Rosa rug Salix bak	4.0				4-5'	.30
Sanx bar	yronica				8-10'	.75
Senecio-		al Troo	t		4-5'	.50
Sellecto-	-Grounds	er rree			4-9	.00

Spiraea Anthony Waterer Heavy	18-24"	.20
" opulifolia	2-3'	.20
"	3-4'	.25
" prunifolia	4-5'	.25
" sorbifolia	2-3'	.20
" thunbergi	18-24"	.15
	3'	.20
" trichocarpa	2-3'	.25
" van houttei heavy	3-4'	.20
" " " "	4-5'	.25
Styrax americana	2-3'	.30
" "	3-4'	.40
" japonica	2-3'	.25
" "	2-3 3-4'	.35
" obessa	3-4 2-3'	.30
Symphoricarpos chenaulti	4-5'	.20
racemosus	2-3'	.20
vuigaris	2-3'	.15
Taxodium distichum	2-3'	.35
	3-4'	.50
Taxus canadensis aurea B & B	18-24"	1.25
Thea bohea B & B	18-24"	.60
Thuya occ. B & B	3-4'	.75
66 66	4-5'	1.00
"	5-6'	1.25
" "	6-8'	1.50
" conica densa B & B	18-24"	.60
" " ellwangeriana B & B	2-3'	.50
" " globosa B & B	18-24"	.40
" " " B & B	2-3'	.50
" " hoveyi B & B	18-24"	40
	2-3'	.75
" " lutea B & B	3-4'	1.00
	4-5'	1.25
	5-6'	2.00
" " plicata pyramidalis B	& B 3-4'	1.25
" " " " "		1.50
		2.00
" " pumila B & B	18-24"	.50
yumna b & b	2-3'	.60
· · · · · · · · · · · · · · · · · · ·	2-3 3-4'	.75
" " pyramidalis "	2-3'	.50
· · · · · · · · · · · · · · · · · · ·	3-4'	.75
<i>"</i> " " "	4-5'	1.00
66 66 66	5-6'	1.50
	6-8'	2.00
" " reidi "	3-4'	1.00
" " wareana "	2-3'	.75
" " woodwordi "	18-24"	.50
W OOU W OI UI		

Thuya	orientalis	aurea	nana	В &	В	18-24"	.50
"	"	"	"	"		2-3'	.60
"	"	"	"	"		3-4'	1.00
Tsuga	canadensi	s B &	\mathbf{B}			18-24"	.50
"	"	"				2-3'	.75
"	"	"				3-4'	1.00
"	"	"				4-5'	2.00
"	"	"				5-6'	2.50
Tsuga	canadensi	s shear	red B	& B		3-4'	1.75
"	"	"		"		4-5'	2.50
"	"			"		5-6'	3.50
Ulmus	american	a				8-10'	.75
"	. "					10-12'	1.25
"	"					12-14'	1.50
"	chinensis					5-6'	.50
Virbur	num carle	si own	root	В &	В	2-3'	2.50
"	lanta	na				3-4'	.35
"	"					4-5'	.50
"	opulus					2-3'	.15
"	"					3-4'	.20
"	"					4-5'	.35
"	66	sterilis	,			18-24"	.12
"	"	"				2-3'	.20
"	"	"				3-4'	.25
"	rhytidoph	yllum	В &	В		2-3'	.75
"	"		•			3-4'	1.00
"	"		"			3-4'	1.00
Yucca	filimentos	a				4 yr.	.25

Lining out plants from 2 inch pots. Our lining list is constantly being added to and items are constantly being exhausted and we would advise early reservation.

Abelia grandiflora
Aucuba japonica aurea maculatta10
Azalea amoena07 ½
" benigiri
" Christmas Cheer $07\frac{1}{2}$
" Coral Bells07½
" hinamoyo07½
" hinodegiri
" ledifolia
" macrantha07½
" poukhanensis
" yodogawa
Berberis julianae10
Buxus sempervirens cuttings
Cotoneaster divaricata07
" francheti
" horizontalis07
" microphylla
" salicifolia
Elaeagnus fruitlandi08
" pungens reflexa
" round leaf07
Euonymus japonicus
" radicans carrierei
" variegata07
Festuca glauca04
Hedera digitata5
Hypericum calycinum
Ilex cassine angustifolia10
" crenata10
" rotundifolia
'opaca
Juniperus chinensis pfitzeriana
" communis06
" " ashfordi
" depressa plumosa06
" hibernica
" nana
" suecica
" excelsa stricta
" japonica
" sylvestr's06
Ligustrum lucidum
" sinense pendulum
Lonicera nitida06
Magnolia kobus10

Osman	thus aquifolium		
66	fortunei		
Pachys	sandra terminalis	05	
Pyraca	ntha coccinea lal	landi 03	•
•	serrata		,
		s07	
Retino	sopora filifera .	10)
		ea06	
•	" obtusa aure	ea cripsi 10)
	" nar	na 2 inch pots 10)
		5 Inch pots20	
		ırea66	
Sedum			
Taxus		$1 \dots 10$	
-		oosa	
"		yi	
"		midalis07	
66		ana	
6.6 N		warđi06	
"		i06	
44		lis	
Tsuga			
		ım10	
Vinca	major 3 inch po	ts	•
	SEE	EDLINGS	
Castan	nea mollissima	12-15" .10)
Clerod	endron trichotom	num2-3'	5
Cydon	ia japonica	12-15" .04	
Dasyli	rion texanum	$\dots \dots 1$ yr. 04	
_		$\dots \dots $	
		na8-12" .04	
			_
46		12-15" .05	
		2 yr05	
Rhus			
Thuja	orientalis		<u> </u>
	יום	VISIONS	
		um04	
Festuc	ea glauca		4
		nd yellow04	
			4
66		04	
77	speciosa newn	nanni	4
Veron	speciosa newn	04	4

HOWELL NURSERIES

Knoxville, Tennessee